

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.73




INDEXED.  
EXCEIN



# Tree, Shrub and Fruit Seeds

FOR

## Ornamental and Forestry Purposes



## PRICE LIST 1913-1914

CONYERS B. FLEU, JR.  
TREE SEEDSMAN  
GERMANTOWN, PHILADELPHIA  
U. S. A.

## Tree and Shrub Seeds

The general method to pursue in the propagation of trees and shrubs from seed is to plant those seeds of Conifers and Evergreen Trees in the Spring, while those of a Deciduous nature in the Fall. Carefully select a fine, sandy loam and make the beds three feet in width and sow the seeds broadcast; after sowing cover to the depth of about the thickness of the seed with light sandy soil and gently press the beds with the back of a spade to bring the earth in contact with the seeds. Shade is an essential, as seeds germinate best in darkness; this can be accomplished by either making lath sash or covering them with forest leaves, keeping them in place by a light skeleton frame. The leaves or sash should be removed as soon as the seedlings begin to appear, as light is needed.

To preserve seed of Conifers and Evergreen Trees until the proper sowing season, mix them in dry sand. Should it be impossible to plant the Deciduous seeds in the Fall, they will keep in excellent condition by mixing them in slightly moist soil; keep the soil in a damp condition until ready to sow.

Deciduous seeds which have hard shells such as *Gymnocladus*, honey and black locust, if not sown in the Fall, are best soaked for a day or so and then at once sown.

**NOTICE!** Every effort is extended to secure and collect only the very best seeds, but it is known that some seeds are occasionally wormy, such as *Quercus*, and *Castanea*. This defect, however, cannot be detected until after the worm has eaten its way out, which often is after the seeds have been shipped. While on the other hand, there are trees such as *Liriodendron*, Sugar Maple, and etc., that never perfect all their seeds. The imperfect seeds can not be separated. With this in view and the many known and unknown causes which prevent seeds from germinating, all seeds are sold without any warranty, expressed or implied, as to quality, productiveness or any other matter of any seeds, and in no way will I be responsible for crop conditions. All orders are accepted on these conditions. Should any cause for complaint arise on receipt of shipment notice must be sent within one week of same, otherwise it is understood that the goods are accepted.

**CONDITIONS.** As I collect but few more seeds than are ordered, all offers and acceptances of orders are subject to the condition of the season's crop, and failing to get the seeds expected or the quantities ordered from my growers and collectors, I reserve the right to reduce proportionately all orders that have been booked.

**SHIPPING FACILITIES.** Small orders can be sent to all parts of the world by sample post and to nearly every country by parcel post. Shipments are dispatched very quickly owing to my warehouse being closely connected with the forwarders of New York and Philadelphia ports. The cost of postage, bags and boxes is charged additionally.

**TERMS.** My terms are cash with order or satisfactory references must be supplied.

**RATES.** One quarter bushel sold at the bushel price, one quarter pound sold at the pound rate.

**SPECIAL PRICES.** Those requiring large quantities of seeds will be given special prices.

CONYERS B. FLEU, JR.  
TREE SEEDSMAN  
GERMANTOWN, PHILADELPHIA  
U. S. A.

CABLE ADDRESS  
FLEU, PHILA.

A, B, C CODE  
4th & 5th Edition

EVERGREENS.

		Per lb.	Per oz.
Abies (Picea) amabilis, <b>California Fir</b> . . . . .		\$3 00	\$0 30
“ “ <i>Arizonica, Arizona Cork Fir</i> . . . . .		8 00	50
“ “ <i>balsamea, Balsam Fir</i> . . . . .		1 50	15
“ “ <i>brachyphylla</i> . . . . .		3 50	30
“ “ <i>Breweriana</i> . . . . .		18 00	2 00
“ “ <i>Bracteata</i> . . . . .		10 00	1 00
“ “ <i>concolor, California Silver Fir</i> . . . . .		2 25	25
“ “ <i>concolor, Colorado Silver Fir</i> . . . . .		2 00	25
“ “ <i>firma, Japanese</i> . . . . .		2 50	25
“ “ <i>Fraseri, Double Balsam</i> . . . . .		3 50	35
“ “ <i>grandis, Pacific Coast Fir</i> . . . . .		3 25	35
“ “ <i>magnifica, Pacific Coast Fir</i> . . . . .		3 50	35
“ “ <i>Mariesii, Japan Silver Fir</i> . . . . .		4 50	50
“ “ <i>nobilis, Pacific Coast Fir</i> . . . . .		3 50	35
“ “ <i>Nordmanniana, Nordman Fir</i> . . . . .		1 25	15
“ “ <i>pectinata, European Silver Fir</i> . . . . .		85	10
“ “ <i>sachalinensis, Saghalien Fir</i> . . . . .		5 00	50
“ “ <i>sub-alpina</i> . . . . .		4 50	50
“ “ <i>Umbellata</i> . . . . .		4 00	40
“ “ <i>Veitchii</i> . . . . .		4 00	40
<b>Araucaria excelsa</b> . . . . .		2 00	20
<b>Arctostaphylos glauca</b> . . . . .		1 25	15
“ <i>pungens</i> . . . . .		1 25	15
“ <i>tomentosa</i> . . . . .		2 25	20
“ <i>uva ursi</i> . . . . .		3 00	30
<b>Berberis Aquifolium (Mahonia)</b> . . . . .		1 25	15
“ <i>Japonica</i> . . . . .		2 50	25
<b>Brahea edulis, Palm</b> . . . . .		1 25	15
“ <i>filamentosa, Palm</i> . . . . .		1 00	15
“ <i>glauca, Palm</i> . . . . .		1 75	20
“ <i>robusta, Palm</i> . . . . .		1 50	15
“ <i>Sonoræ</i> . . . . .		3 00	30
<b>Buxus sempervirens, Box</b> . . . . .		1 75	15
<b>Cedrus Atlantica, Mt. Atlas Cedar</b> . . . . .		2 25	25
“ <i>Deodara, Deodar Cedar</i> . . . . .		2 25	25
“ <i>Libani, Cedar Lebanon</i> . . . . .		2 25	25
<b>Cephalotaxus Fortunei</b> . . . . .		1 50	15
<b>Cinnamomum Camphora, Camphor Tree</b> . . . . .		1 25	15
<b>Crataegus Pyracantha, Evergreen Thorn</b> . . . . .		85	10
<b>Cryptomeria Japonica, Japanese Cedar</b> . . . . .		1 50	20
<b>Cupressus Arizonica</b> . . . . .		3 00	25
“ <i>Goveniana</i> . . . . .		3 00	30
“ <i>Guadalupensis</i> . . . . .		3 50	35
“ <i>Benthamiana</i> . . . . .		2 75	30
“ <i>Knightiana</i> . . . . .		3 00	30
“ <i>Lawsoniana, Lawson's Cypress</i> . . . . .		3 00	30
“ <i>Lindleyi</i> . . . . .		3 25	35
“ <i>macrocarpa, Monterey Cypress</i> . . . . .		1 25	20
“ <i>McNabiana</i> . . . . .		3 00	30
“ <i>nutkaensis</i> . . . . .		12 00	1 25
“ <i>sempervirens</i> . . . . .		1 50	15
“ <i>thurifera</i> . . . . .		3 25	35
“ <i>thyoides, White Cedar</i> . . . . .		3 75	30
<b>Eucalyptus amygdalina</b> . . . . .	per packet, \$0 25	8 00	80
“ <i>corynocalyx</i> . . . . .	“	25	8 00
“ <i>globulus</i> . . . . .	“	25	4 00
“ <i>Gunnii</i> . . . . .	“	25	5 00
“ <i>leucoxylon</i> . . . . .	“	25	7 00
“ <i>obtusifolia</i> . . . . .	“	25	10 00
“ <i>resinifera</i> . . . . .	“	25	8 00
“ <i>robusta</i> . . . . .	“	25	4 00
“ <i>rostrata</i> . . . . .	“	25	4 00
“ <i>viminalis</i> . . . . .	“	25	4 50
<b>Garrya elliptica</b> . . . . .			75
<b>Gaultheria procumbens, Winter Green, Tea Berry</b> . . . . .		1 50	15
“ <i>Shallon</i> . . . . .		3 50	35

**EVERGREENS—Continued.**

	Per lb.	Per oz.
<i>Ilex Aquifolium, English Holly</i> .....	85	10
" <i>crenata, Japan Holly</i> .....	3 00	30
" <i>opaca, American Holly</i> .....	50	10
<i>Juniperus Chinensis, Chinese Juniper</i> .....	1 50	15
" <i>Californica</i> .....	3 00	30
" <i>communis, Common Juniper</i> .....	75	10
" <i>monosperma</i> .....	1 00	10
" <i>occidentalis, Western</i> .....	2 00	20
" <i>pachyphlaea</i> .....	1 00	10
" <i>prostrata</i> .....	1 00	10
" <i>Pinchoti</i> .....	2 50	25
" <i>rigida, Japan Cedar</i> .....	3 50	35
" <i>sabinoides</i> .....	2 25	25
" <i>scopulorum</i> .....	1 50	15
" <i>Sabina, Savin Juniper</i> .....	1 50	15
" <i>suecica, Swedish Juniper</i> .....	1 50	15
" <i>Virginiana, Red Cedar</i> .....	50	10
<i>Kalmia angustifolia, Laurel</i> .....	5 00	50
" <i>latifolia, Sheep Laurel</i> .....	5 00	50
<i>Laurus nobilis, Sweet Bay</i> .....	75	10
<i>Libocedrus decurrens</i> .....	3 00	30
<i>Magnolia grandiflora, Evergreen Magnolia</i> .....	1 25	15
<i>Nuttallia cerasiformis</i> .....	3 00	30
<i>Oreodaphne Californica, Cal. Nutmeg</i> .....	1 00	10
<i>Persea Caroliniana</i> .....	3 25	30
<i>Photinia arbutifolia</i> .....	1 00	15
<i>Picea (Abies) alba, White Spruce</i> .....	3 00	30
" <i>Alcoquiana, Japanese Spruce</i> .....	4 50	45
" <i>ajanensis</i> .....	4 50	45
" <i>bicolor, from Japan</i> .....	4 50	50
" <i>Engelmanni</i> .....	4 00	40
" <i>excelsa, Norway Spruce</i> .....	1 25	15
" <i>Glehnii, from Japan</i> .....	6 00	60
" <i>Hookeriana</i> .....	9 00	75
" <i>nigra, Black Spruce</i> .....	3 50	35
" <i>Orientalis, Oriental Spruce</i> .....	4 00	40
" <i>pungens, Colorado Blue Spruce</i> .....	3 50	35
" <i>polita</i> .....	4 00	40
" <i>rubra, Red Spruce</i> .....	3 00	30
" <i>Sitchensis (Menziesii)</i> .....	3 50	35
<i>Pinus aristata, Colorado Foxtail Pine</i> .....	4 00	35
" <i>Austriaca, Austrian Pine</i> .....	1 50	15
" <i>Banksiana, Jack Pine</i> .....	4 00	40
" <i>Benthamiana</i> .....	3 00	10
" <i>Canariensis, Canary Island Pine</i> .....	2 50	25
" <i>cembra, Swiss Pine</i> .....	1 00	10
" <i>cembroides, Mexican Stone Pine</i> .....	4 25	50
" <i>contorta</i> .....	5 00	50
" <i>Coulteri, Big Cone Pine</i> .....	3 00	30
" <i>densiflora, Japanese Pine</i> .....	2 00	20
" <i>edulis, Pinyon Pine</i> .....	1 50	15
" <i>excelsa, Himalayan Pine</i> .....	2 50	35
" <i>flexilis, Colorado Pine</i> .....	2 75	30
" <i>insignis, Monterey Pine</i> .....	2 25	25
" <i>Jeffreyi</i> .....	3 00	30
" <i>Koraiensis</i> .....	2 50	25
" <i>Lambertiana, Sugar Pine</i> .....	2 00	20
" <i>Laricio</i> .....	2 25	25
" <i>Massoniana</i> .....	2 00	20
" <i>mitis</i> .....	4 00	40
" <i>monophylla, Single Leaf Pine</i> .....	2 50	25
" <i>monticola, Pacific Coast White Pine</i> .....	4 50	45
" <i>Mughus, Dwarf Mountain Pine</i> .....	2 25	25
" <i>muricata</i> .....	4 50	50
" <i>Murryana, Lodgepole Pine</i> .....	6 00	50
" <i>Nelsoni</i> .....	4 50	50
" <i>palustris, Yellow Broom Pine</i> .....	3 00	30
" <i>Parryana, Mexican Pinyon</i> .....	4 00	40

### EVERGREENS—Continued

		Per lb.	Per oz.
Pinus <i>Pentaphylla</i> , from Japan.....		4 00	40
" <i>Pinea</i> .....		75	10
" <i>ponderosa</i> , Heavy Wooded Pine .....		2 25	25
" <i>ponderosa</i> (from Colorado) ( <i>scopulorum</i> ) .....		2 50	25
" <i>pumila</i> , from Japan .....		4 00	40
" <i>resinosa</i> , Red, Norway Pine .....		6 00	50
" <i>rigida</i> , Pitch Pine .....		2 75	25
" <i>Sabiniana</i> , Pine .....		1 50	15
" <i>Strobus</i> , White Pine .....		2 00	20
" <i>sylvestris</i> , Scotch Pine .....		2 00	20
" <i>taeda</i> , Loblolly Pine .....		4 25	40
" <i>Thunbergii</i> .....		2 50	25
" <i>Torreya</i> .....		3 00	30
" <i>tuberculata</i> .....		4 00	40
Podocarpus <i>Chinensis</i> .....		2 50	25
Prinos <i>glaber</i> , Ink Berry .....		1 00	10
Prunus ( <i>Cerasus</i> ) <i>Caroliniana</i> .....		75	10
" " <i>ilicifolia</i> , Holly Leaf Cherry .....		1 00	10
" " <i>integrifolia</i> , Entire Leaf Cherry .....		1 50	15
Pseudotsuga <i>Douglasii</i> , Douglas Spruce .....		3 00	30
" " " " (Colorado) .....		3 50	35
" <i>macrocarpa</i> .....		4 50	45
Retinispora <i>obtusa</i> .....		2 50	25
" <i>pisifera</i> .....		2 50	25
Rhododendron <i>Catawbiense</i> , Mountain Laurel .....		4 00	60
" <i>maximum</i> .....		3 00	50
Sabal <i>Adansonii</i> , Palm .....		1 00	10
" <i>Palmetto</i> , Palm .....		1 00	10
" <i>serrulata</i> , Saw Palm .....		1 00	10
Sciadopitys <i>verticillata</i> , Umbrella Pine .....		3 50	35
Sequoia <i>gigantea</i> , California Big Tree .....		7 00	70
" <i>sempervirens</i> .....		3 00	30
Taxus <i>baccata</i> , English Yew .....		1 50	15
" <i>brevifolia</i> , California Yew .....		9 00	1 00
" <i>cuspidata</i> .....		3 50	35
Thuja <i>gigantea</i> , Western Arbor-vitae .....		3 50	35
" <i>occidentalis</i> , American .....		2 25	25
" <i>orientalis</i> , Chinese .....		85	10
" " <i>aurea</i> , Chinese Golden .....		1 25	15
Thujopsis <i>Dolabratra</i> (From Japan) .....		6 00	60
" <i>Standishi</i> .....		7 00	75
Torreya <i>Californica</i> .....		1 50	15
" <i>nucifera</i> (From Japan) .....		1 50	15
Tsuga ( <i>Abies</i> ) <i>Canadensis</i> , Hemlock Spruce .....		4 00	40
" <i>Diversifolia</i> (From Japan) .....		4 50	45
" <i>heterophylla</i> .....		9 00	75
" <i>Mertensiana</i> , Western .....		7 00	70
" <i>Pattoniana</i> .....		7 00	75
" <i>Sieboldi</i> , Japanese .....		4 50	45
Ulex <i>Europaea</i> , Furze .....		1 50	15
Yucca <i>angustifolia</i> , Adam's Needle .....		2 25	30
" <i>baccata</i> .....		4 50	45
" <i>brevifolia</i> .....		10 00	1 00
" <i>filamentosa</i> .....		2 00	20
" <i>Whipplei</i> .....		4 00	40

### DECIDUOUS TREES AND SHRUBS.

	English Maple .....	Per lb.	Per oz.
Acer <i>campestre</i> , .....		75	10
" <i>circinatum</i> .....		2 50	25
" <i>dasycarpum</i> , Silver .....		1 00	15
" <i>Ginnale</i> .....		2 00	25
" <i>glabrum</i> .....		1 50	15
" <i>macrophyllum</i> , Oregon .....		1 00	15
" <i>negundo</i> .....		75	10
" <i>platanoides</i> , Norway .....		50	10
" <i>pseudo-platanus</i> , Sycamore .....		50	10
" <i>rubrum</i> , Red .....		1 00	10
" <i>saccharinum</i> , Sugar .....		85	10
" <i>spicatum</i> , Mountain .....		1 50	15

**DECIDUOUS TREES AND SHRUBS—Continued.**

		Per lb.	Per oz.
<i>Acer striatum</i> , Striped	"	1 50	15
<i>Ailanthus glandulosa</i> , Tree of Heaven	"	50	10
<i>Albizia Julibrissin</i> , Mimosa or Paradise Tree	"	1 50	15
<i>Alnus glutinosa</i> , Alder	"	75	10
" Oregonia (clean seed)	"	6 00	75
" serrulata, Swamp Alder	"	75	10
<i>Amelanchier Botryapium</i>	"	1 50	15
" alnifolia	"	3 00	30
<i>Amorpha canescens</i>	"	1 00	10
" fruiticosa, Indigo Shrub	"	1 00	10
<i>Andromeda axillaris</i>	"	60	
" calyculata	"	60	
" Catesbaei	"	50	
" floribunda	"	50	
" ligustrina	"	60	
" Marianæ	"	60	
" nitida	"	50	
" racemosa	"	1 00	
" speciosa	"	1 00	
<i>Aralia Sieboldi</i> (From Japan)	"	2 50	25
" spinosa, Angelica Tree	"	1 00	10
<i>Arbutus Menziesii</i>	"	2 00	20
<i>Ardisia crispa</i>	"	3 00	30
" Japonica	"	3 00	30
<i>Asimina triloba</i> , Papaw	"	50	10
<i>Azalea arborescens</i>	"	75	
" calendulacea	"	75	
" mollis	"	75	
" nudiflora	"	75	
" viscosa	"	75	
<i>Baccharis halimifolia</i> , Groundsel Shrub	"	1 00	
<i>Berberis Fremonti</i> , Silver-leaved Barberry	"	5 00	50
" nervosa	"	5 00	50
" Thunbergii, Japanese Barberry	"	1 25	15
" vulgaris, Common Barberry	"	1 00	15
" " purpurea, Purple Barberry	"	1 50	15
<i>Betula alba</i> , European White Birch.	"	1 00	15
" excelsa, Yellow	"	2 00	20
" lenta, Sweet	"	1 50	15
" papyracea, Paper	"	1 75	20
" populifolia, Poplar	"	1 00	15
" rubra, Red	"	1 50	15
<i>Callicarpa Americana</i>	"	85	10
" purpurea	"	2 00	20
<i>Calycanthus floridus laevigatus</i> , Sweet Shrub	"	75	10
" occidentalis, Western	"	2 25	25
<i>Camellia Japonica</i>	"	1 50	15
" Sasanqua	"	2 00	20
<i>Caragana arborescens</i> , Siberian Pea	"	1 00	10
<i>Carpenteria Californica</i>	"	12 00	1 75
<i>Carpinus Americana</i> , Hornbeam	"	75	10
" Betulus, European	"	85	10
<i>Carya alba</i> , Sheldbark Hickory	per bushel, \$4 00	15	
" amara, Bitter-nut	"	3 50	
" olivæformis, Pecan-nut	"	8 00	40
" porcina, Pig-nut	"	4 00	15
" sulcata, West'n Shellbark	"	3 50	15
" tomentosa, White	"	3 00	15
<i>Cassia Marilandica</i> , Wild Senna	"	1 00	15
<i>Catalpa bignonioides</i> , Eastern Catalpa	"	1 50	15
" speciosa, Western Catalpa. This is the true			
" forest tree speciosa, guaranteed true to name	"	1 75	20
<i>Ceanothus Americanus</i> (clean)	"	2 25	20
" divaricatus	"	1 00	
" integrifolius	"	4 00	40
" spinosus	"	1 00	10
" thyrsiflorus	"	4 00	40
<i>Celtis occidentalis</i> , Nettle Tree	"	75	10
<i>Cephalanthus occidentalis</i>	"	65	10

DECIDUOUS TREES AND SHRUBS—Continued.

Per lb. Per oz.

<i>Cerasus</i> . See <i>Prunus</i> .			
<i>Cercis Canadensis</i> , <i>Judas Tree</i> . . . . .	1 00	10	
" <i>occidentalis</i> , <i>Western Judas</i> . . . . .	3 00	30	
<i>Cercocarpus parvifolius</i> . . . . .		75	
<i>Chilopsis linearis</i> . . . . .	2 00	20	
<i>Chionanthus Virginica</i> , <i>White Fringe</i> . . . . .	1 00	10	
<i>Citrus trifoliata</i> , <i>Hardy Orange</i> . . . . .	1 50	15	
" <i>Sour Orange</i> . . . . .	1 50	15	
<i>Cladrastis tinctoria</i> , <i>Virgilia</i> . . . . .	3 50	35	
<i>Clethra alnifolia</i> , <i>Sweet Pepper Bush</i> . . . . .	1 00	10	
<i>Colutea arborescens</i> . . . . .	1 00	15	
<i>Cornus alternifolia</i> , <i>Blue-berried Dogwood</i> . . . . .	75	10	
" <i>circinata</i> . . . . .	1 25	10	
" <i>florida</i> , <i>Large White Dogwood</i> . . . . .	50	10	
" <i>Mas</i> , <i>Cornelian Cherry</i> . . . . .	75	10	
" <i>Nuttalli</i> , <i>Pacific Coast Dogwood</i> . . . . .	1 50	15	
" <i>paniculata</i> . . . . .	75	10	
" <i>sericea</i> , <i>Silky Dogwood</i> . . . . .	75	10	
" <i>Stolonifera</i> . . . . .	75	10	
<i>Corylus Americana</i> , <i>Hazel Nut</i> . . . . .	50	10	
<i>Crataegus coccinea</i> , <i>White Thorn</i> , <i>berries</i> . . . . .	50	10	
" <i>cordata</i> , <i>Washington</i> " " . . . . .	75	10	
" <i>crus-galli</i> , <i>Cockspur</i> " " . . . . .	50	10	
" <i>oxyacantha</i> , <i>English</i> " " . . . . .	50	10	
<i>Cyrilla racemiflora</i> . . . . .	1 00	10	
<i>Cytisus Scoparius</i> , <i>Scotch Broom</i> . . . . .	1 00	15	
<i>Diospyros Kaki</i> , <i>Japan Persimmon</i> . . . . .	1 50	15	
" <i>Virginiana</i> , <i>Persimmon</i> . . . . .	50	10	
<i>Eleagnus longipes</i> . . . . .	1 00	10	
<i>Euonymus Americanus</i> , <i>Burning Bush</i> . . . . .	1 25	15	
" <i>atropurpureus</i> , " " . . . . .	1 25	15	
<i>Exochorda grandiflora</i> , <i>Pearl Bush</i> . . . . .	2 00	20	
<i>Fagus ferruginea</i> , <i>American Beech</i> . . . . .	75	10	
" <i>sylvatica</i> , <i>European</i> " . . . . .	1 00	10	
" " <i>purpurea</i> , <i>Blood-leaved</i> . . . . .	2 75	30	
<i>Fonquera Splendens</i> . . . . .	2 50	25	
<i>Fraxinus Americana</i> , <i>White Ash</i> . . . . .	75	10	
" <i>excelsior</i> , <i>European</i> " . . . . .	75	10	
" <i>Oregonia</i> . . . . .	2 00	20	
" <i>Ornus</i> , <i>Flowering</i> " . . . . .	75	15	
" <i>pubescens</i> , <i>Red</i> " . . . . .	75	10	
" <i>quadrangulata</i> , <i>Blue</i> " . . . . .	1 50	15	
" <i>sambucifolia</i> , <i>Black</i> " . . . . .	1 50	15	
" <i>viridis</i> , <i>Green</i> " . . . . .	75	10	
<i>Fremontia Californica</i> . . . . .	8 00	60	
<i>Garrya elliptica</i> . . . . .	7 50	75	
<i>Gaylussacia resinosa</i> , <i>Huckleberry</i> . . . . .	1 25	15	
<i>Gleditschia triacanthos</i> , <i>Honey Locust</i> . . . . .	50	10	
<i>Gordonia lascanthus</i> . . . . .	1 50	15	
<i>Gymnocladus Canadensis</i> , <i>Kentucky Coffee</i> . . . . .	60	10	
<i>Halesia diptera</i> , <i>Snowdrop Tree</i> . . . . .	1 50	15	
" <i>tetraptera</i> " " . . . . .	75	10	
<i>Hamamelis Virginica</i> , <i>Witch Hazel</i> . . . . .	1 00	10	
<i>Hibiscus Syriacus Althaea</i> . . . . .	1 00	10	
<i>Hippophaë rhamnoides</i> , <i>Sea Buckthorn</i> . . . . .	1 50	15	
<i>Hydrangea arborescens</i> . . . . .	1 50	15	
<i>Itea Virginica</i> . . . . .	2 50	20	
<i>Juglans cinerea</i> , <i>Butternut</i> . . . . .	per bushel, \$2 50	15	
" <i>Californica</i> . . . . .		35	
" <i>cordiformis</i> , <i>Japan Walnut</i> . . . . .		50	
" <i>nigra</i> , <i>Black Walnut</i> . . . . .	" "	2 00	15
" <i>regia</i> , <i>English</i> " . . . . .	" "	8 00	30
" <i>rupestris</i> , <i>Arizona Walnut</i> . . . . .	" "	7 50	50
" <i>Sieboldii</i> (From Japan) . . . . .		50	
<i>Koelreuteria paniculata</i> , <i>Varnish Tree</i> . . . . .		75	15
<i>Larix Americana</i> , <i>American Larch</i> . Price on application.			
" <i>Europaea</i> , <i>European Larch</i> . . . . .		2 00	20
" <i>leptolepis</i> , <i>Japanese</i> " . . . . .		3 50	35

**DECIDUOUS TREES AND SHRUBS—Continued.**

	Per lb.	Per oz.
<i>Larix occidentalis</i> , <b>Western Larch</b> . . . . .	18 00	2 00
<i>Laburnum vulgare</i> . . . . .	1 00	15
<i>Lindera Benzoin</i> , <b>Spice Bush</b> . . . . .	75	15
<i>Lagerstroemia Indica</i> . . . . .	60	
<i>Ligustrum Ibota</i> . . . . .	75	10
<i>Liquidambar styraciflua</i> , <b>Sweet Gum</b> . . . . .	2 50	25
<i>Liriodendron tulipifera</i> , <b>Tulip Tree</b> . . . . .	75	15
<i>Lonicera Tartarica</i> . . . . .	1 50	25
<i>Maclura aurantiaca</i> , <b>Osage Orange</b> . . . . .	75	10
<i>Magnolia acuminata</i> . . . . .	1 50	15
" <i>Fraseri</i> . . . . .		50
" <i>glaucia</i> , <b>Sweet Bay</b> . . . . .	1 25	15
" <i>grandiflora</i> , <b>Evergreen</b> . . . . .	1 00	10
" <i>hypooleuca</i> . . . . .	2 50	25
" <i>Kobus</i> (From Japan) . . . . .	2 50	25
" <i>macrophylla</i> . . . . .	2 25	20
" <i>tripetala</i> . . . . .	2 00	20
<i>Melia umbraculiformis</i> , <b>China Tree</b> . . . . .	1 00	10
<i>Morus alba</i> , <b>White Mulberry</b> . . . . .	1 50	15
" <i>rubra</i> . . . . .		50
" <i>tatarica</i> , <b>Russian</b> " . . . . .	2 50	25
<i>Myrica Californica</i> , <b>Wax Myrtle</b> . . . . .	2 50	25
" <i>cerifera</i> " . . . . .	1 25	15
<i>Nandina domestica</i> (From Japan) . . . . .	3 00	30
<i>Negundo aceroides</i> , <b>Ash-leaved Maple</b> (Western) . . . . .	75	10
<i>Nyssa aquatica</i> , <b>Sour Gum</b> . . . . .	75	10
" <i>multiflora</i> " . . . . .	50	10
" <i>uniflora</i> , <b>Tupelo, Sour Gum</b> . . . . .	75	10
<i>Ostrya Virginica</i> , <b>Iron Wood</b> . . . . .	1 25	10
<i>Oxydendrum arboreum</i> (Andromeda) . . . . .	3 00	30
<i>Parkinsonia aculeata</i> . . . . .	2 50	25
" <i>Torreya</i> . . . . .	2 50	25
<i>Paulownia imperialis</i> , <b>Empress Tree</b> . . . . .	1 50	25
<i>Phellodendron Amurense</i> . . . . .	75	19
<i>Platanus occidentalis</i> , <b>American Plane</b> . . . . .	75	15
" <i>orientalis</i> , <b>Oriental</b> " . . . . .	75	15
" <i>Wrightii</i> . . . . .	1 25	10
<i>Populus Wislizeni</i> . . . . .	1 25	15
<i>Prinos glabra</i> . . . . .	75	10
<i>Prinos verticillatus</i> , <b>Deciduous Holly</b> . . . . .	75	10
<i>Prosopis juliflora</i> , pods, <b>Mesquite Bean</b> . . . . .	1 25	15
" <i>pubescens</i> , pods, <b>Tornio Bean</b> . . . . .	1 25	15
<i>Prunus Americana</i> , <b>Wild Plum</b> . . . . .	75	10
" <i>maritima</i> , <b>Beach</b> " . . . . .	1 50	15
" <i>Pennsylvanica</i> . . . . .	1 00	10
" <i>serotina</i> , <b>Wild Cherry</b> . . . . .	50	10
" <i>Virginiana</i> . . . . .	75	10
<i>Ptelea trifoliata</i> , <b>Hop Tree</b> . . . . .	50	10
<i>Pyrus Americana</i> , <b>American Mountain Ash</b> . . . . .	1 25	15
" <i>Aucuparia</i> , <b>European</b> " . . . . .	75	10
" <i>arbutifolia</i> . . . . .	75	10
" <i>coronaria</i> . . . . .	50	10
" <i>rivularis</i> , <b>Oregon Crab</b> . . . . .	3 00	30
<i>Quercus alba</i> , <b>White Oak</b> . . . . .	per bushel, \$4 00	20
" <i>agrifolia</i> . . . . .		75
" <i>aquatica</i> . . . . .	" "	5 50
" <i>bicolor</i> , <b>Meadow</b> " . . . . .	" "	4 00
" <i>Catesbaei</i> . . . . .	" "	4 50
" <i>Cerris</i> , <b>Turkey</b> " . . . . .	" "	7 50
" <i>chrysolepis</i> . . . . .		75
" <i>cinerea</i> , <b>Upland Willow Oak</b> . . . . .	" "	7 00
" <i>coccinea</i> , <b>Scarlet Oak</b> . . . . .	" "	5 00
" <i>falcata</i> , <b>Spanish</b> " . . . . .	" "	4 00
" <i>Garryana</i> . . . . .		75
" <i>ilicifolia</i> , <b>Scrub</b> , " . . . . .	" "	6 50
" <i>imbricaria</i> , <b>Laurel</b> " . . . . .	" "	6 50
" <i>laurifolia</i> , <b>Southern Laurel Oak</b> " . . . . .	" "	7 00
		35

## DECIDUOUS TREES AND SHRUBS—Continued.

Per lb.

Per oz.

Quercus	lyrata	.....	per bushel	\$4 00	25
"	Michauxii	.....	"	4 00	35
"	macrocarpa, Burr	Oak	.....	4 25	25
"	nigra, Black Jack	Oak	.....	4 00	35
"	obtusiloba, Post	.....	"	5 50	35
"	palustris, Pin	.....	"	6 00	35
"	Phellos, Willow	.....	"	6 50	40
"	Prinus, Chestnut	.....	"	4 00	25
"	Robur, English	.....	"	5 00	25
"	rubra, Red	.....	"	3 50	20
"	Texana	.....	"	7 00	50
"	tinctoria, Black	.....	"	4 00	25
"	Wislizeni	.....	.....	1 00	
Rhamnus	Californica	.....	.....	2 00	20
"	Caroliniana, Buckthorn	.....	.....	75	10
"	cathartica	"	.....	1 00	10
"	Frangula	"	.....	1 00	10
"	Purschiana	"	.....	3 00	30
Rhus	aromatica	.....	.....	75	10
"	copallina, Shining Sumach	.....	.....	50	10
"	Cotinus, Mist Bush	.....	.....	1 75	20
"	glabra, Smooth Sumach	.....	.....	50	10
"	laurina	.....	.....	2 00	20
"	typhina, Stag's Horn Sumach	.....	.....	50	10
Ribes	bracteosa	.....	.....	7 00	75
"	cereum	.....	.....	4 00	50
"	lacustre	.....	.....	4 00	50
"	sanguineum, Flowering Currant	.....	.....	2 50	25
Robinia	hispida	.....	.....	75	
"	pseud-acacia, Yellow or Black Locust	.....	.....	50	10
Romneya	Coulteri	.....	.....	10 00	75
Rosa	blanda	.....	.....	1 00	10
"	lucida	.....	.....	1 00	10
"	Carolina	.....	.....	1 00	10
"	gymnocarpa	.....	.....	4 00	40
"	rugosa	.....	.....	1 00	10
"	setigera, Berries, Wild Prairie Rose	.....	.....	1 00	10
Rubus	leucodermis	.....	.....	4 00	50
"	nitkanus	.....	.....	6 00	75
"	spectabilis	.....	.....	9 00	1 00
"	vitifolius	.....	.....	4 00	50
Salisburia	adiantifolia, Ginkgo	.....	.....	75	10
Sambucus	Canadensis, Elder	.....	.....	75	10
"	glauca	.....	.....	2 50	25
"	racemosus	.....	.....	3 00	30
Sapindus	marginatus, Soap-berry	.....	.....	1 50	15
Sassafras	officinalis	.....	.....	75	10
Schinus	molle	.....	.....	1 00	10
Sophora	Japonica, Pagoda Tree	.....	.....	75	10
Spiraea	opulifolia	.....	.....	3 00	30
"	tomentosa	.....	.....	3 00	30
Sterculia	platanifolia	.....	.....	2 50	25
Staphylea	trifolia, Bladder-nut	.....	.....	1 25	20
Stuartia	pentagyna	.....	.....	2 00	20
Styrax	Japonica	.....	.....	1 50	15
"	Obassia	.....	.....	3 00	30
Syringa	villosa, Chinese Lilac	.....	.....	1 50	15
"	vulgaris, Common Lilac	.....	.....	1 25	15
Taxodium	distichum, Deciduous Cypress	.....	.....	1 00	10
Tilia	Americana, American Linden	.....	.....	75	10
"	Europaea, European	"	.....	1 00	15
Ulmus	Americana, American Elm	.....	.....	85	10
"	campestre, European	"	.....	85	10
"	fulva, Slippery	"	.....	2 25	25
"	montana, Scotch	"	.....	1 25	15
Vaccinium	arboreum, Bush Huckleberry	.....	.....	1 50	15
"	corymbosum	"	.....	2 00	20

### DECIDUOUS TREES AND SHRUBS—Continued.

		Per lb.	Per oz.
Vaccinium	macrocarpon, Cranberry, clean seed	2 50	30
“	ovatum	3 00	30
“	Pennsylvanicum, Huckleberry	1 50	15
“	stamineum	1 25	15
Viburnum	acerifolium	50	10
“	cassinoides	1 25	10
“	dentatum	75	10
“	Lantana	1 25	15
“	Lentago	1 25	15
“	nudum	1 25	15
“	Oxycoccus	75	15
“	prunifolium	75	10
Zanthoxylon	fraxinæfolium, Prickly Ash	1 50	20

### VINES AND CLIMBERS.

Akebia	guinata	3 00	30
Ampelopsis	heterophylla variegata, Variegated Grape	\$0 50	
“	Veitchii, Japan Creeper	75	10
“	Virginica, Virginia “	75	10
Celastrus	scandens, Staff Vine	75	10
Clematis	flammlula, Sweet Clematis	1 50	25
“	coccinea, Scarlet Clematis	1 25	
“	paniculata, Japanese Clematis	2 00	25
“	Virginiana	2 00	30
“	vitalba, English Clematis	1 25	15
Hedera	Helix, Ivy	1 00	10
Menispermum	Canadense, Moon Seed	1 50	15
Passiflora	incarnata, Passion Flower	2 00	20
Pueraria	Thunbergiana, Kudzu Vine	4 50	45
Smilax	glaucha	1 75	20
“	hispida	1 25	15
“	laurifolia	1 25	15
“	rotundifolia	1 25	15
“	tamnooides	1 25	15
“	Walteri	1 25	15
Tecoma	radicans, Trumpet Vine	1 50	15
Vitis.	See Fruits.		
Wistaria	frutescens	1 50	20
“	magnifica	2 00	20
“	sinensis	2 00	20

### FRUITS.

Apple, French Crab.	Prices per bushel on application.	50
Cherry	Mahaleb, \$18.00 per bu.; 3 bus. at \$17.00 per bu.	50
Chestnut, American		30
“	Spanish	35
Grape, Vitis æstivalis		1 00
“	coignetiae Japanese Wild Grape	4 00
“	cordifolia	1 00
“	labrusca	1 00
“	riparia	1 00
“	rotundifolia	2 00
Hazel Nut, American		50
Mulberry, White		1 50
“	Russian	2 50
Orange Sour		1 50
Peach pits. Natural, per bu., \$2.75		15
Pear, French		1 50
“	Japan	2 50
“	Kieffer	3 25
Pecan Nut	per bushel, \$8 00	30
Quince		1 50
Shellbark	per bushel, \$4 00	20
Walnut, Black	“ “ 2 00	15
“	Butternut	2 50
“	California	50
“	English	8 00
“	Japan	30
		50

Where seeds are to go by mail, add 9 cts. per lb. to cover postage.